

AVANT[®]

200

SERIES



AVANT[®] 220

The real multi task machine

- Strong and reliable 20 hp petrol engine
- Amazingly powerful
- ROPS/FOPS canopy and seat belt as standard



AVANT[®] 225

When more power is needed

- Powerful Kohler 25 hp Electric Fuel Injection engine
- Auxiliary hydraulics 50 l/min
- Enough power for snow blower, 1500 mm lawn mower etc.



AVANT[®] 225 LPG

The low emission machine

- Low emission LPG engine
- Lightweight machine, well suited for indoor jobs as well
- Excellent tool for building and demolition contractors



Features



More space for equipment

20 or 25 hp 4-stroke petrol engine

Larger 14 l fuel tank

Larger 47 Ah battery

Trailer ball hitch

Improved stability

Automatic drive release

As much as 50 l/min auxiliary hydraulics oil flow



Certified ROPS safety frame with FOPS canopy

More spacious cockpit

Multi function display

Multi connector for attachment hydraulic hoses

Excellent visibility to attachment

AVANT quick attach system for attachments

Easy-to-operate

- Avant quick attachment system for attachments and multi connector for hydraulic hoses
- Easily operated, well-positioned controls
- Safe and easy access to driver's seat
- Multi function display: fuel gauge, hour meter, engine function indicators, road traffic kit indicators
- Avant 225 with Kohler 25 hp Electric Fuel Injection petrol engine starts easily in any situation – no choke required
- Compact dimensions

Well thought-out Avant ergonomics

- More legroom
- Improved ergonomics
- Multi connector
- Cab L available as an option
- Suspension seat with heater available as an option
- Joystick 6 function available as an option

Avant 225 – more power

- New Kohler 25 hp Electric Fuel Injection engine
- As much as 50 l/min oil flow to attachments
- Professional hydraulics

Safety

- Improved stability: longer wheelbase
- Certified ROPS safety frame and FOPS canopy
- Seat belt
- LED front lights as standard; LED work light kit (2 front, 1 rear) available as an option
- Excellent, unrestricted field of vision to the work and attachment



Options and attachments



**LED work light kit:
2 front, 1 rear**

Joystick 6 function

**Control switch pack
for attachment
electric functions**

Road traffic kit



Add efficiency and comfort to your work with options

- Anti slip valve
- Cab L
- Suspension seat with heater and arm rests
- Auxiliary hydraulics outlet in the rear
- LED work light kit: 2 front, 1 rear
- Road traffic kit
- Joystick 6 function: operation of attachment hydraulics with buttons on joystick
- Attachment control switch pack: operation of attachment electric functions with switches mounted on top of the joystick
- Wheel weights
- Cockpit cover
- Full weather cover
- Studded tyres

The most comprehensive, high quality attachment range

- Avant quick attachment system and multi connector on auxiliary hydraulics enable the use of same attachments as on bigger Avants – taking the power and lift capacity of 200 series into consideration
- Attachments of old 200 series can also be used by mounting an adaptor on them
- Higher auxiliary hydraulics oil flow allows wider attachment range and more efficient working
- Comprehensive attachment programme for groundcare, landscaping, do-it-yourself, construction, property maintenance, forest work, farming etc.





Model	AVANT 220	AVANT 225	AVANT 225 LPG
Engine	Kohler CV640	Kohler ECV730 EFI	Kohler PCV740
Function	4-stroke	4-stroke	4-stroke
Fuel	gasoline	gasoline	LPG (autogas)
Engine output	14,9 kW (20 hp)	18,6 kW (25 hp)	17,9 kW (24 hp)
Auxiliary hydraulics	29 l/min	50 l/min	50 l/min
Max. drive speed	10 km/h	10 km/h	10 km/h
Wheels	20x8.00-10 tractor/grass	20x8.00-10 tractor/grass	20x8.00-10 tractor/grass
Pulling force	620 daN	640 daN	640 daN
Tipping load *)	350 kg	350 kg	350 kg
Lifting height	1400 mm	1400 mm	1400 mm
Weight	700 kg	700 kg	700 kg
Height	1880 mm	1880 mm	1880 mm
Width	995 mm	995 mm	995 mm
Length	1910 mm	1910 mm	2100 mm

*) Load is measured at 400 mm from the attachment coupling plate



AVANT®



Avant Tecno Oy
 Ylotie 1
 FI-33470 Ylojarvi, FINLAND
 Tel. +358 3 347 8800
 sales@avanttecno.com

Avant has a policy of continuing improvement, and retains the right to change specifications without notice. © 2015 Avant Tecno Oy. All rights reserved.

www.avanttecno.com